



Nothing but **HEAVY DUTY.**™

**EMBARGO UNTIL -  
AUGUST 2017**



## **Milwaukee® Introducing NEW Dust Extraction System for the Professionals.**

Since first introducing the universal self-powered dust extractor in 2013, the M12™ Universal Hammer Vac, Milwaukee Tool has been dedicated to introducing productivity-focused dust collection solutions. The heart of the system are the new corded dust extractors and accessories which are compatible with the company's full lineup of rotary hammers and grinders.

Now, Milwaukee Tool is excited to announce the expansion of its corded range with two M class and one L class Dust Extractors for the professionals and safe cleaning.

---

**THE NEW DUST EXTRACTORS ARE DELIVERING UP TO 20% HIGHER PERFORMANCE, INCREASED PRODUCTIVITY AND REDUCED SERVICE COSTS COMPARING TO EXISTING DUST EXTRACTOR RANGE.**

---



“  
True testament  
of combining  
high  
performance  
with  
functionality and  
ergonomics. ”



Nothing but **HEAVY DUTY.**<sup>™</sup>

The new Vacs are constructed to handle the tough requirements in building & constructions and other industries. A sealed dust system, automatic filter cleaning, power take off function, anti static system and several other user benefits are designed to meet user requirements when working on the job site.

The Dust Extractors offer remarkable productivity thanks to the innovative AutoClean system, which automatically cleans the filter during operation using reversed air-flow pulse, so users can keep their mind on the job without worrying about reduced suction power. Downtime is reduced further, as the container can be filled up without filter maintenance – even in demanding, fine dust applications.

The integrated new PTFE long-life filter contributes to improved cleaning performance and dust pick-up, thus taking the dust extraction, service and maintenance to a higher level. The new filter is constructed from a durable and washable material with non-stick membrane that achieves a minimum of 99.9% reliable filtration efficiency of fine dust particles. It is easy to access and clean - can just be rinsed under the tap - saving time, lasting longer and lowering the total cost of ownership.

The new Dust Extractors are stable and easy to manoeuvre, offering ergonomic disposal and transport. All models have flexible storage solutions for hose, accessories and tools, including rubber straps. Furthermore, AS 42 MAC is equipped with additional trolley handle for handy storage and transport.



**Specifications:**



	AS 42 MAC	AS 30 MAC	AS 30 LAC
Power input (W)	1200	1200	1200
Air volume (l/min)	4500	4500	4500
Max. vacuum (mbar)	250	250	250
Capacity (l)	42	30	30
Capacity solids (l)	42	19.5	19.5
Capacity liquids (l)		30	30
Hose diameter (m)	38	38	36
Hose length (m)	4	4	4
Weight (kg)	17.5	14.5	14.5
Dust Class	M Class	M Class	L Class
Main filter type	PTFE	PTFE	PTFE
Filter cleaning system	AutoClean	AutoClean	AutoClean
Airflow and filter monitoring	Yes	Yes	No
Extra socket for tool	Yes	Yes	Yes
Auto On/Off for power tools	Yes	Yes	Yes
SoftStart	Yes	Yes	Yes
Motor speed control	Yes	Yes	Yes
AntiStatic System	Yes	Yes	Yes
Accessory storage	Yes	Yes	Yes
Trolley handle	Yes	No	No
Standard equipment	2 x tool adaptor, hand tube, 2 x extension tube, floor / crevice nozzle, fleece filter bag, disposal bag, hose 4 m x 38 mm, trolley handle	2 x tool adaptor, hand tube, 2 x extension tube, floor / crevice nozzle, fleece filter bag, disposal bag, hose 4 m x 38 mm	2 x tool adaptor, hand tube, 2 x extension tube, floor / crevice nozzle, fleece filter bag, disposal bag, hose 4 m x 36 mm
Article no.	4933459418	4933459415	4933459411



Nothing but **HEAVY DUTY**.™

## CONSTRUCTION - DRILLING

### SDS-Plus / Max hammers

#### Dust Extraction Attachment (PHDE72)

The Milwaukee® Dust Extraction attachment provides users with a dust extraction solution when using SDS-plus or Max hammers. The PHDE72 Dust Extraction drilling shroud is optimised for all drilling depths and any hole ranging from Ø 6 – 72 mm. Its removable brush rings improve suction and when removed allows for up to 72 mm diameter core bits.

Article no. 4932430480



#### SDS-Max Dustless Drill Bits

Milwaukee® Dustless Drill Bits reduce airborne dust and provide increased productivity due to faster drilling and dust collection at the same time. The combination of dust extraction holes at the bit tip and the hollow shaft design allow dust to be removed through the bit while drilling holes without dust for a safer and cleaner working environment.

Additionally, Dustless Drill Bits provide accurate round holes, according to PGM conformity, which make anchor setting easier and more effective. The 4-cutter tip design delivers durability in concrete and concrete with rebar applications. The universal adapter fits all common vacuum cleaners with hose diameter 32 – 38 mm.



#### Article numbers:

- 4932459287 SDS-Max Dustless 16 x 600
- 4932459288 SDS-Max Dustless 18 x 600
- 4932459289 SDS-Max Dustless 20 x 600
- 4932459290 SDS-Max Dustless 22 x 600
- 4932459291 SDS-Max Dustless 24 x 600
- 4932459292 SDS-Max Dustless 25 x 600
- 4932459293 SDS-Max Dustless 28 x 600
- 4932459294 SDS-Max Dustless 28 x 900
- 4932459295 SDS-Max Dustless 30 x 600
- 4932459296 SDS-Max Dustless 30 x 900
- 4932459297 SDS-Max Dustless 32 x 600
- 4932459298 SDS-Max Dustless 32 x 900
- 4932459299 SDS-Max Dustless 35 x 600
- 4932459300 SDS-Max Dustless 35 x 900



## SDS-Max Dustless Chisels (PHCDE)

The universal chiseling dust extraction system fits to all brands of SDS-Max hammers, collects over 90% of chiseled dust and saves valuable post cleaning time. It fits to Milwaukee® vacs with easy and secure click system and can only be used with DE type chisels listed below. The following spare parts are available for a quick turnaround:

- Spring (4931328988)
- Rubber rings 5 pcs (49314552778)
- Main housing (4931449576)
- Front hose with plastic nose (4931455277)



### Article numbers:

- 4932455280 PCHDE with 1x SDS-Max point chisel
- 4932455275 PCHDE with 1x SDS-Max flat chisel
- 4932455144 400 mm SDS-Max DE point chisel
- 4932455145 400 mm SDS-Max DE flat chisel



## SDS-Plus hammers

### Dust Extractor for Hammers

Extractor for dust collection on the wall or when overhead drilling. Maximum diameter drill bit Ø 28 mm. Fits to all industrial dust extraction units (universal tapered reception Ø 26 – 41 mm).

Article no. 4932430446





Nothing but **HEAVY DUTY**.™

## SDS-Plus Dustless Drill Bits

Efficient drilling without dust for a safer and cleaner working environment. Faster and more efficient drill bit due to effective dust removal. Active drill bit head cooling for a longer life.

The 4-cutter tip design delivers durability in concrete and concrete with rebar applications. The universal adapter fits all common vacuum cleaners with hose diameter 32 – 38 mm. Accurate concentricity and high dimensional accuracy drilled holes, according to PGM Conformity.

### Article numbers:

- 4932459283 SDS-Plus Dustless 12 x 325
- 4932459284 SDS-Plus Dustless 14 x 360
- 4932459285 SDS-Plus Dustless 16 x 360
- 4932459286 SDS-Plus Dustless 18 x 360



## Hammer Dust Extraction (DE16)

The only universal tool of its kind on the market, the Dust Extractor DE16 delivers a universal solution at low cost of ownership for dust extraction needs. The universal handle system allows quick set up and is compatible with major brands of SDS-Plus rotary hammers and AC/DC hammer drills so users can drill safely into concrete and masonry without purchasing a new drill. It features a universal vacuum attachment system that is compatible with standard hose sizes of wet dry vacuums. This allows a standard wet dry vacuum to provide power and suction needed to remove dust as holes are drilled. It allows fitting to drills with gear neck from Ø 43 – 59 mm.

Includes:

- 1 x side handle
- 3 x neck collars.

Article no. 4932430835





Nothing but **HEAVY DUTY**.™

## M12™ Universal Hammer Vac (M12 DE)

The only universal tool of its kind on the market, the cordless Milwaukee® M12™ Universal Hammer Vac delivers HEPA-standard debris filtration at the lowest cost of ownership. The Hammer Vac's universal handle system is compatible with major brands of SDS-Plus rotary hammers and AC/DC hammer drills, so users can drill safely into concrete and masonry without purchasing a new drill. It features a certified HEPA filter that is replaced independently of the dust box, enabling users to maintain powerful suction. In auto-on mode, the extractor turns itself on and off as you work for maximum productivity.



- 4933440510 M12 DE-0C (bare unit only in a kitbox)
- 4933440500 M12 DE-201C (delivered with 1 x M12™ REDLITHIUM-ION™ battery pack, C12 C charger and kitbox)

## M18 FUEL™ SDS-Plus Dust Extractor (M18 CDEX)

Features an inline dedicated design engineered to connect directly to and be powered by the M18 FUEL™ SDS-Plus Hammer (M18 CHX). This design allows for a very compact hammer vac and rotary hammer combination to fit in the most confined work spaces. Utilising the same replaceable certified HEPA filter as other hammer vacs, which filter 99.97% of all particles greater than 0.3µm, means more compatibility on the jobsite. For accurate hole depths, this product is built with an adjustable depth stop and ruler for easy and precise adjustments. Featuring a high capacity dust box, users can now work longer without emptying dust box as often.



Article no . 4933447450 M18 CDEX-0 (bare unit only)



Nothing but **HEAVY DUTY**.™

## M18 – M28 FUEL™ Heavy duty Dust Extractor (M18-M28 CPDEX)

Features an inline dedicated design engineered to connect directly to and be powered by the M18 FUEL™ High Performance SDS-Plus Hammer Drill (M18 CHPX) and M28 FUEL™ High Performance SDS-Plus Hammer Drill (M28 CHPX). This design allows for a very compact hammer vac and rotary hammer combination to fit in the most confined work spaces. Utilising the same replaceable certified HEPA filter as other hammer vacs, which filter 99.97% of all particles greater than 0.3µm, means more compatibility on the jobsite. For accurate hole depths, this product is built with an adjustable depth stop and ruler for easy and precise adjustments. Featuring a high capacity dust box, users can now work longer without emptying dust box as often.



Article no . 4933446810 M18 CPDEX-0 (bare unit only)

## CONSTRUCTION – CUTTING AND GRINDING

### Milwaukee® Universal Grinder Shrouds

#### DEG125

Dust guard for surface conditioning. 100% tool free connection to Ø 125 mm AG(V) 12 and AGV 15 series

Article no. 4932430468



#### DEC125

Dust guard for cutting. 100% tool free connection to Ø 115 - 125 mm AG(V) 12, AGV 15 series and M18 FUEL™ grinders.

Article no. 4932430467







Nothing but **HEAVY DUTY**.™

## DEC230

Dust guard for cutting. Delivered with keyed guard reception and quick dust connector. Fits Milwaukee® AG 22.

Article no. 4932459340



## DEC230K

Dust guard for cutting. Delivered with 2 keyless guard reception and quick dust connector. Fits Milwaukee® AGV 22, AGVK 24 and AG 21, AG 24.

Article no. 4932459341



**To find out more about the Dust Extractors, see video footage of it in action or find your nearest store, please visit [www.milwaukeetool.eu](http://www.milwaukeetool.eu)**

## NOTES TO EDITORS

Milwaukee® Tool is an industry-leading manufacturer of heavy-duty power tools, accessories and hand tools for professional users worldwide. Since the company began in 1924, Milwaukee® Tool has led the industry in both durability and performance. With an unwavering commitment to the trades, Milwaukee® continues to lead with a focus on providing innovative, trade-specific solutions.

## MILWAUKEE® QUALITY

Quality is our highest priority. Starting with an understanding of the professional power tool user's needs, quality is shaped through the design of superior products, components and processes and is extended through the use of high-grade materials, supplies and stringent in-house/field testing.

The process is completed with the delivery of heavy-duty power tools and accessories that professional users need and demand. Quality has built Milwaukee®'s reputation since 1924, and continues to be the driving force behind its growth.